

Lecture 9: Access Control and Operating System Security

ECE1776
David Lie

1

Outline


- Access Control
 - Matrix, ACL, Capabilities
 - Multi-level security (MLS)
- OS Mechanisms
 - Multics
 - Ring structure
 - Unix
 - File system, Setuid
 - SE Linux
 - Role-based
 - Domain type enforcement
- Certifications



2

Access control

- Common Assumption
 - System knows who the user is
 - User has entered a name and password, or other info
 - Access requests pass through gatekeeper
 - Global property; OS must be designed so that this is true



Decide whether user can apply operation to resource

3

Access control matrix

	File 1	File 2	File 3	...	File n
User 1	read	write	-	-	read
User 2	write	write	write	-	-
User 3	-	-	-	read	read
...					
User m	read	write	read	write	read



4

Two implementation concepts

- Access control list (ACL)
 - Store column of matrix with the resource
- Capability
 - Allow user to hold a "ticket" for each resource
 - Roughly: store row of the matrix with the user

	File 1	File 2	...
User 1	read	write	-
User 2	write	write	-
User 3	-	-	read
...			
User m	read	write	write

Access control lists are widely used, often with groups

Some aspects of capability concept are used in Kerberos, ...

5

Capabilities

- Operating system concept
 - "... of the future and always will be ..."
- Examples
 - Dennis and van Horn, MIT PDP-1 Timesharing
 - Hydra, StarOS, Intel iAPX 432, Amoeba,
 - Latest incarnation in Eros (SOSP paper)
- Performance was always the problem
 - Problem is that user can manipulate capabilities, but can't actually let the user "store" the capabilities or user could modify them. Thus many more boundary crossings.

- Reference
 - Henry Levy, Capability-based Computer Systems
<http://www.cs.washington.edu/homes/levy/capabook/>



6

Access Control Types

- Discretionary Access Control (DAC)
 - Individual user can set access mechanism for objects that they own. Example: files in a UNIX files system
- Mandatory Access Control (MAC)
 - Individual user cannot alter access, access is enforced by the system.
 - Example: System can prevent anyone from accessing their files after 5PM



7

Multi-level Security Concepts


- Military security policy (Bell-LaPadula Model)
 - Classification involves sensitivity levels, compartments
 - Do not let classified information leak to unclassified files
 - A Mandatory access control policy
- Group individuals and resources
 - Use some form of hierarchy to organize policy
- Other concepts
 - Separation of duty
 - Chinese Wall Policy
 - Governs information flow in commercial systems



8

Military security policy

- Classification of personnel and data
 - Security Level (Top Secret, Secret, Confidential, ...)
 - Compartment (Afghanistan, Middle East, ...)



9

Military security policy

- Class = (rank, compartment)
- Dominance relation
 - $D_1 \leq D_2$ iff $rank_1 \leq rank_2$
and $compartment_1 \subseteq compartment_2$
 - Example: $\langle \text{Restricted, Israel} \rangle \leq \langle \text{Secret, Middle East} \rangle$
- Applies to
 - Subjects – users or processes
 - Objects – documents or resources



10

Bell-LaPadula Confidentiality Model


- When is it OK to release information?
- Two Properties (with silly names)
 - Simple security property
 - A subject S may read object O only if $C(O)$ dominates $C(S)$
 - *-Property
 - A subject S with read access to O may write object P only if $C(O)$ dominates $C(P)$
- Restricts information flow
 - You may only *read below* your classification and only *write above* your classification



11

Picture: Confidentiality

Read below, write above ~~Read above, write below~~



12

Biba Integrity Model


- Rules that preserve integrity of information
- Two Properties (with silly names)
 - Simple integrity property
 - A subject S may write object O only if $C(S) \geq C(O)$
(Only trust S to modify O if S has higher rank ...)
 - *-Property
 - A subject S with read access to O may write object P only if $C(O) \geq C(P)$
(Only move info from O to P if O is more trusted than P)
- Prevents contamination of objects by a lower class subject
 - You may only *write below* your classification and only *read above* your classification




13

Picture: Integrity

Read above, write below



~~Read below, write above~~



14

Models can be combined

- Bell-LaPadula Confidentiality
 - Read down, write up
- Biba Integrity
 - Read up, write down
- Two models can be combined: Lipner models. Integrity levels are orthogonal to confidentiality models:
 - Access or modification is only allowed when both models allow the action
 - In reality the two levels are not usually orthogonal resulting in only being able to read and write at the same level in most cases



15

Other policy concepts

- Separation of duty
 - If amount is over \$10,000, check is only valid if signed by two authorized people
 - Two people must be *different*
 - Policy involves role membership and \neq
- Chinese Wall Policy
 - Lawyers L1, L2 in Firm F are experts in banking
 - If bank B1 sues bank B2,
 - L1 and L2 can each work for either B1 or B2
 - No lawyer can work for opposite sides in any case
 - Permission depends on use of other permissions
 - Theory requires the construction of "Conflict of Interest Classes"



16

Example OS Security Mechanisms

- Multics
- Unix
- SE Linux (briefly)



17

Multics

- Operating System
 - Designed 1964-1967
 - MIT Project MAC, Bell Labs, GE
 - At peak, ~100 Multics sites
 - Last system, Canadian Department of Defense, Nova Scotia, shut down October, 2000
- Extensive Security Mechanisms
 - Influenced many subsequent systems



<http://www.multicians.org/security.html>

18

Multics Innovations

- Segmented, Virtual memory
 - Hardware translates virtual address to real address
- High-level language implementation
 - Written in PL/1, only small part in assembly lang
- Shared memory multiprocessor
 - Multiple CPUs share same physical memory
- Relational database
 - Multics Relational Data Store (MRDS) in 1978
- Security
 - Designed to be secure from the beginning
 - First B2 security rating (1980s), only one for years



19

Multics Access Model

- Ring structure
 - A ring is a domain in which a process executes
 - Numbered 0, 1, 2, ... ; Kernel is ring 0
 - Graduated privileges
 - Processes at ring i have privileges of every ring $j > i$
- Segments
 - Each data area or procedure is called a segment
 - Segment protection ($b1, b2, b3$) with $b1 \leq b2 \leq b3$
 - Process/data can be accessed from rings $b1 \dots b2$
 - A process from rings $b2 \dots b3$ can only call segment at restricted entry points



20

Unix file security

- Each file has owner and group
- Permissions set by owner
 - Read, write, execute
 - Owner, group, other
 - Represented by vector of four octal values
- Only owner, root can change permissions
 - This privilege cannot be delegated or shared
- Setid bits – Discuss in a few slides



21

Effective user id (EUID)

- Each process has three IDs
 - Real user ID (RUID)
 - same as the user ID of parent (unless changed)
 - used to determine which user started the process
 - Effective user ID (EUID)
 - from set user ID bit on the file being executed, or sys call
 - determines the permissions for process
 - file access and port binding
 - Saved user ID (SUID)
 - So previous EUID can be restored
 - Linux also has fsuid for file system
- Real group ID, effective group ID, used similarly
- Details in paper "Setuid demystified"



22

SELinux

- A version of Linux created by the NSA and Secure Computing Corporation (SCC)
- Modified to:
 - Have mandatory access control to all objects
 - Even though there are multiple ways to access a particular object in UNIX, SELinux has checks on all of them
 - Support for various policy configurations:
 - Role-based access control: rather than assign rights to users, assign rights to "roles" which users can take-on
 - Multi-Level access control
 - Type-enforcement: Each subject and object has a type, policies are represented by relationships between each type

<http://www.nsa.gov/selinux/>



23

Secure Operating Systems


- Extra mechanisms for extra security
 - Strict coding/implementation guidelines
 - Review of design and implementation
 - Maintenance procedures
- Topics:
- Mechanisms associated with secure OS
 - Standards for certification
 - Mostly used by government/military, some commercial interest



24

Sample Features of Trusted OS


- Mandatory access control
 - MAC not under user control, precedence over DAC
- Object reuse protection
 - Write over old data when file space is allocated
- Complete mediation
 - Impossible to circumvent monitor, all accesses checked
- Audit
 - See next slide
- Intrusion detection
 - Anomaly detection
 - Learn normal activity, Report abnormal actions
 - Attack detection
 - Recognize patterns associated with known attacks



25

Audit


- Log security-related events
- Protect audit log
 - Write to write-once non-volatile medium
- Audit logs can become huge
 - Manage size by following policy
 - Storage becomes more feasible
 - Analysis more feasible since entries more meaningful
 - Example policies
 - Audit only first, last access by process to a file
 - Do not record routine, expected events
 - E.g., starting one process always loads ...



26

Trusted path


- Spoofing
 - Fool user/process into thinking they are communicating with secure part of system
 - Intercept communication
- Trusted path
 - Mechanisms to prevent spoofing
 - Special key sequence for passwd command intercepted by trusted kernel (e.g., ctrl-alt-delete)
 - Allow some actions only at boot time, before user processes loaded



27

Limitations of Secure OS


- Noninterference
 - Actions by high-level users (secret, top secret) should not be observable by low-level users (unclassified, ...)
 - Difficult to achieve and prove, but not impossible
- Covert Channels
 - Can user of system deliberately communicate secret information to external collaborator?



28

Standards: Rainbow Series

DoD Trusted Computer Sys Evaluation Criteria (**Orange Book**)
 Audit in Trusted Systems (**Tan Book**)
 Configuration Management in Trusted Systems (**Amber Book**)
 Trusted Distribution in Trusted Systems (**Dark Lavender Book**)
 Security Modeling in Trusted Systems (**Aqua Book**)
 Formal Verification Systems (**Purple Book**)
 Covert Channel Analysis of Trusted Systems (**Light Pink Book**)
 ... many more




<http://www.radium.ncsc.mil/tpep/library/rainbow/index.html>

29

Orange Book Criteria (TCSEC)

- Level D
 - No security requirements
- Level C For environments with cooperating users
 - C1 – protected mode OS, authenticated login, DAC, security testing and documentation (Unix)
 - C2 – DAC to level of individual user, object initialization, auditing (Windows NT 4.0 or AFS)
- Level B, A
 - All users and objects must be assigned a security label (classified, unclassified, etc.)
 - System must enforce Bell-LaPadula model



30

Levels B, A (continued)

- Level B
 - B1 – classification and Bell-LaPadula
 - B2 – system designed in top-down modular way, must be possible to verify, covert channels must be analyzed
 - B3 – ACLs with users and groups, formal TCB must be presented, adequate security auditing, secure crash recovery
- Level A1
 - Formal proof of protection system, formal proof that model is correct, demonstration that implementation conforms to model, formal covert channel analysis



31

Common Criteria

- Another Standard gaining popularity (esp commercial apps)
- Three parts
 - CC Documents
 - Protection profiles: requirements for category of systems
 - Functional requirements
 - Assurance requirements
 - CC Evaluation Methodology
 - National Schemes (local ways of doing evaluation)
- Endorsed by 14 countries
- Replaces TCSEC
 - CC adopted 1998
 - Last TCSEC evaluation completed 2000



<http://www.commoncriteria.org/> ³²

Evaluation Assurance Levels 1 – 4

- EAL 1: Functionally Tested
 - Review of functional and interface specifications
 - Some independent testing
- EAL 2: Structurally Tested
 - Analysis of security functions, incl high-level design
 - Independent testing, review of developer testing
- EAL 3: Methodically Tested and Checked
 - Development environment controls; config mgmt
- EAL 4: Methodically Designed, Tested, Reviewed
 - Informal spec of security policy, Independent testing



33

Evaluation Assurance Levels 5 – 7

- EAL 5: Semiformally Designed and Tested
 - Formal model, modular design
 - Vulnerability search, covert channel analysis
- EAL 6: Semiformally Verified Design and Tested
 - Structured development process
- EAL 7: Formally Verified Design and Tested
 - Formal presentation of functional specification
 - Product or system design must be simple
 - Independent confirmation of developer tests



34

National Information Assurance Partnership
Common Criteria Certificate
Microsoft Corporation

The IT product identified in this certificate has been evaluated at an accredited testing laboratory using the Common Methodology for IT Security Evaluation (Version 1.0) for conformance to the Common Criteria for IT Security Evaluation (Version 2.1). This certificate applies only to the specific version and release of the product in its evaluated configuration. The product's functional and assurance security specifications are contained in its security target. The evaluation has been conducted in accordance with the provisions of the NIAIP Common Criteria Evaluation and Validation Scheme and the conclusions of the testing laboratory in the evaluation technical report are consistent with the evidence adduced. This certificate is not an endorsement of the IT product by any agency of the U.S. Government and no warranty of the IT product is either expressed or implied.

Product Name: Windows 2000 Professional, Server, and Advanced Server with SP2 and Q226966a traffic
Assurance Profile: Common Profile M1-2000-01-001
Computer Platform: Compaq ProLiant ML-370G
OS/DB: Dell PE 2500, 4450, 2530, 1510
Assurance Level: EAL4 Augmented

Name of CCTL: Science Applications International Corporation
Validation Report Number: CCEVS-VK-02-0025
Date Issued: 25 October 2002
Protection Profile Identifier: CommonIT Access Protection Profile, Version 1.0, October 8, 1999

Director, Information Technology Laboratory, National Institute of Standards and Technology
Director, Information Assurance, National Security Agency



35

Summary

- Many Access Control Models:
 - Which ones make sense for an OS?
- OS Security has evolved over time:
 - Multics: Ring structures
 - UNIX/Linux:
 - Discretionary access control for files
 - Simple user level permissions
 - SELinux
 - Flexible security policies
- Many certification options available, but what are they measuring?



36

Extra Slides

37

Question

- Owner can have fewer privileges than other
 - What happens?
 - User gets access?
 - User does not?
- Prioritized resolution of differences?
 - if user = owner then *owner* permission
 - else if user in group then *group* permission
 - else *other* permission



38

Setuid programming

- We talked about this before ...
- Be Careful!
 - Root can do anything; don't get tricked
 - Principle of least privilege – change EUID when root privileges no longer needed
- Setuid scripts
 - This is a bad idea
 - Historically, race conditions
 - Begin executing setuid program; change contents of program before it loads and is executed



39

Tokens

- Security Reference Monitor
 - uses tokens to identify the security context of a process or thread
- Security context
 - privileges, accounts, and groups associated with the process or thread
- Impersonation token
 - thread uses temporarily to adopt a different security context, usually of another user



40

Why Linux?


- Open source
 - Already subject to public review
 - This by itself does not guarantee security ...
 - NSA can review source, modify and extend



41

Kernelized Design

- Trusted Computing Base
 - Hardware and software for enforcing security rules
- Reference monitor
 - Part of TCB
 - All system calls go through reference monitor for security checking
 - Most OS not designed this way



42

Assurance methods

- Testing
 - Can demonstrate existence of flaw, not absence
- Formal verification
 - Time-consuming, painstaking process
- "Validation"
 - Requirements checking
 - Design and code reviews
 - Sit around table, drink lots of coffee, ...
 - Module and system testing



43

Impersonation Tokens (setuid?)

- Process uses security attributes of another
 - Client passes impersonation token to server
- Client specifies impersonation level of server
 - Anonymous
 - Token has no information about the client
 - Identification
 - server obtain the SIDs of client and client's privileges, but server cannot impersonate the client
 - Impersonation
 - server identify and impersonate the client
 - Delegation
 - lets server impersonate client on local, remote systems



44

Encrypted File Systems (EFS, CFS)

- Store files in encrypted form
 - Key management: user's key decrypts file
 - Useful protection if someone steals disk
- Windows – EFS
 - User marks a file for encryption
 - Unique file encryption key is created
 - Key is encrypted, can be stored on smart card
- Unix – CFS [Matt Blaze]
 - Transparent use
 - Local NFS server running on "loopback" interface
 - Key protected by passphrase



45

Q: Why use crypto file system?

- General security questions
 - What properties are provided?
 - Against what form of attack?
 - Crypto file system
 - What properties?
 - Secrecy, integrity, authenticity, ... ?
 - Against what kinds of attack?
 - Someone steals your laptop?
 - Someone steals your removable disk?
 - Someone has network access to shared file system?
- Depends on how file system configured and used



46

Orange Book Requirements (TCSEC)

- Security Policy
 - Accountability
 - Assurance
 - Documentation
- Next few slides: details not important ...
- Main point: Higher levels require more work ..., documentation and configuration management are part of the criteria





47

Protection Profiles


- Requirements for categories of systems
 - Subject to review and certified
- Example: Controlled Access PP (CAPP_V1.d)
 - Security functional requirements
 - Authentication, User Data Protection, Prevent Audit Loss
 - Security assurance requirements
 - Security testing, Admin guidance, Life-cycle support, ...
 - Assumes non-hostile and well-managed users
 - Does not consider malicious system developers



48



- ### Covert Channels
- Butler Lampson
 - Difficulty achieving confinement (paper on web)
 - Communicate by using CPU, locking/unlocking file, sending/delaying msg, ...
 - Gustavus Simmons
 - Cryptographic techniques make it impossible to detect presence of a covert channel
- 51




- ### Compare to stack inspection
- Careful with Setuid !
 - Can do anything that owner of file is allowed to do
 - Be sure not to
 - Take action for untrusted user
 - Return secret data to untrusted user
-
- Note: anything possible if root; no middle ground between user and root
- 53

- ### Is Windows is "Secure"?
- Good things
 - Design goals include security goals
 - Independent review, configuration guidelines
 - But ...
 - "Secure" is a complex concept
 - What properties protected against what attacks?
 - Typical installation includes more than just OS
 - Many problems arise from applications, device drivers
 - Windows driver certification program
- 54

Roles (also called Groups)

- Role = set of users
 - Administrator, PowerUser, User, Guest (On windows)
 - Assign permissions to roles; each user gets permission
- Role hierarchy
 - Partial order of roles
 - Each role gets permissions of roles below
 - List only new permissions given to each role
- Somewhat equivalent to groups in UNIX



55

Groups for resources, rights

- Permission = (right, resource)
- Group related resources
- Hierarchy for rights or resources
 - If user has right r, and r>s, then user has right s
 - If user has read access to directory, user has read access to every file in directory
- Big problem in access control
 - Complex mechanisms require complex input
 - Difficult to configure and maintain
 - Roles, other organizing ideas try to simplify problem



56

Process Operations and IDs

- Root
 - ID=0 for superuser root; can access any file
- Fork and Exec
 - Inherit three IDs, except exec of file with setuid bit
 - Setuid causes ruid to be that of the owner of the file
- Setuid system calls
 - seteuid(newuid) can set EUID to
 - Real ID or saved ID, regardless of current EUID
 - Any ID, if EUID=0
- Details are actually more complicated
 - Several different calls: setuid, seteuid, setreuid



57


Setid bits on executable Unix file

- Three setid bits
 - Setuid – set EUID of process to ID of file owner
 - Setgid – set EGID of process to GID of file
- Sticky bit is interesting:
 - On directory, user can only remove or rename files in a directory if user has write permission to the directory and:
 - User owns the file OR
 - User owns the directory OR
 - User is super user
 - On file means that the image stays in core or swap so can be reloaded faster
 - No real security implication



58

Example



59

Unix summary

- We're all very used to this ...
 - So probably seems pretty good
 - We overlook ways it might be better
- Good things
 - Some protection from most users
 - Flexible enough to make things possible
- Main bad thing
 - Too tempting to use root privileges
 - No way to assume some root privileges without all root privileges



60

SELinux

- Security-enhanced Linux system (NSA)
 - Enforce separation of information based on confidentiality and integrity requirements
 - Mandatory access control incorporated into the major subsystems of the kernel
 - Limit tampering and bypassing of application security mechanisms
 - Confine damage caused by malicious applications
 - Hope to encourage additional operating system security research
 - Released under the same terms and conditions as the original sources.
 - includes documentation and source code



<http://www.nsa.gov/selinux/>

67


Example: Windows 2000, EAL 4+

- Evaluation performed by SAIC
- Used "Controlled Access Protection Profile"
- Level EAL 4 + Flaw Remediation
 - "EAL 4 ... represents the highest level at which products not built specifically to meet the requirements of EAL 5-7 ought to be evaluated."
(EAL 5-7 requires more stringent design and development procedures ...)
 - Flaw Remediation
- Evaluation based on specific configurations
 - Produced configuration guide that may be useful



68

Commercial version



69